



TFW 2166

00862.022452.

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)	
TOSHIAKI SASAKI, ET AL.	)	Examiner: Not Yet Assigned
Application No.: 09/993,663	)	Group Art Unit: 2166
Filed: November 27, 2001	)	
For: PORTABLE TERMINAL AND	)	
HEALTH MANAGEMENT	)	
METHOD AND SYSTEM	)	
USING PORTABLE TERMINAL	)	November 4, 2005

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56 and in accordance with the practice under 37 C.F.R. §§ 1.97 and 1.98, the Examiner's attention is directed to the documents listed below and on the enclosed Form PTO-1449. A copy of document (2) is enclosed.


- (1) U.S. Patent No. 5,694,919
- (2) WO 93/12823

Documents (1) and (2) were cited during prosecution of an Australian patent application corresponding to the above U.S. application. A copy of the Australian Office Action, which is dated September 30, 2005, is enclosed.

Inasmuch as the subject application has not yet received a first Office Action, it is believed that this Information Disclosure Statement is timely. See 37 C.F.R. § 1.97(b)(3). Accordingly, the Examiner is urged to study this information in its entirety and to form an independent determination of the materiality of the information to the claimed invention. Additionally, the Examiner is requested to indicate that this information has been considered by initialing the appropriate portion of Form PTO-1449 and returning the initialed form to Applicants with the next communication.

Applicants' undersigned attorney may be reached in our Costa Mesa, California office by telephone at (714) 540-8700. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

  
\_\_\_\_\_  
John D. Magluyan  
Attorney for Applicants  
Registration No.: 56,867

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**